
Search Results -

| Terms | Documents |
|------------|-----------|
| L50 or L56 | 22734 |

Database:

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:



Search History

| <u>Set</u> | | Hit | <u>Set</u> |
|------------|--|--------|-------------|
| | Query | Count | <u>Name</u> |
| side by | • | Count | result |
| side | | | set |
| DB = | FPGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | | |
| <u>L57</u> | L50 or L56 | 22734 | <u>L57</u> |
| <u>L56</u> | SOM or SOFM | 22730 | <u>L56</u> |
| <u>L55</u> | L54 and L53 | 15 | <u>L55</u> |
| <u>L54</u> | 706/21.ccls. | 175 | <u>L54</u> |
| <u>L53</u> | (L45 or L43 or L42 or L41) and L52 | 2827 | <u>L53</u> |
| <u>L52</u> | L51 or L39 | 196980 | <u>L52</u> |
| <u>L51</u> | L38 or L50 | 927 | <u>L51</u> |
| <u>L50</u> | (selforgani\$4 adj map) or (selforgani\$4 adj net) or (selforgani\$4 adj network) or (selforgani\$4 adj feature) | 4 | <u>L50</u> |
| <u>L49</u> | L46 and ("prediction model" or "predictive model") | 59 | <u>L49</u> |
| <u>L48</u> | L47 and model | 1669 | <u>L48</u> |
| <u>L47</u> | L46 and (prediction or predictive) | 1775 | <u>L47</u> |
| <u>L46</u> | (L45 or L43 or L42 or L41) and L39 | 2825 | <u>L46</u> |
| | | | |

| <u>L45</u> | ensemble | 14522 | <u>L45</u> |
|------------|--|--------|------------|
| <u>L44</u> | "modular neural networks" | 136 | <u>L44</u> |
| <u>L43</u> | "modular neural network" | 136 | L43 |
| <u>L42</u> | "Associative Neural Network" or ASNN | 90 | <u>L42</u> |
| <u>L41</u> | "committee of machines" | 0 | L41 |
| <u>L40</u> | L39 and ensemble | 2680 | <u>L40</u> |
| <u>L39</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 | <u>L39</u> |
| <u>L38</u> | (self?organi\$4 adj map) or (self?organi\$4 adj net) or (self?organi\$4 adj network) or (self?organi\$4 adj feature) | 926 | <u>L38</u> |
| <u>L37</u> | L33 or L34 | 2550 | <u>L37</u> |
| <u>L36</u> | selforgani\$4 or self?organi\$4 | 3443 | <u>L36</u> |
| <u>L35</u> | L34 and (not L33) | 182 | L35 |
| <u>L34</u> | selforganising or self?organising | 235 | L34 |
| <u>L33</u> | selforganizing or self?organizing | 2368 | L33 |
| <u>L32</u> | L31 and (not L5) | 7 | L32 |
| <u>L31</u> | selforganizing | 21 | L31 |
| <u>L30</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 196953 | <u>L30</u> |
| <u>L29</u> | neur\$8 | 171930 | L29 |
| <u>L28</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 26817 | <u>L28</u> |
| <u>L27</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 26086 | <u>L27</u> |
| <u>L26</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) | 24568 | <u>L26</u> |
| <u>L25</u> | ("threshold logic unit" or tlu) | 17280 | <u>L25</u> |
| <u>L24</u> | "threshold logic unit" or tlu | 17280 | <u>L24</u> |
| <u>L23</u> | TLU | 17228 | <u>L23</u> |
| <u>L22</u> | "threshold logic unit" | 71 | <u>L22</u> |
| <u>L21</u> | "threshold logic gate" or TLG | 7466 | <u>L21</u> |
| <u>L20</u> | tlg . | 7329 | L20 |
| <u>L19</u> | "threshold logic gate" | 138 | L19 |
| <u>L18</u> | adaline or madaline or perceptron | 1525 | L18 |
| <u>L17</u> | adaline or madaline | 142 | L17 |
| <u>L16</u> | adaline | 85 | L16 |
| <u>L15</u> | madaline | 75 | L15 |
| <u>L14</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 832 | <u>L14</u> |
| <u>L13</u> | (self?organizing adj map) or (self?organizing adj net\$5) | 734 | <u>L13</u> |
| <u>L12</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj | 734 | <u>L12</u> |
| | · · · · · · · · · · · · · · · · · · · | | |

| | network) | | |
|------------|--|------|------------|
| <u>L11</u> | (self?organizing adj map) or (self?organizing adj net) | 557 | <u>Ļ11</u> |
| <u>L10</u> | kohonen and (not self?organizing adj map) | 661 | <u>L10</u> |
| <u>L9</u> | (self?organizing adj map) and (not kohonen) | 316 | <u>L9</u> |
| <u>L8</u> | L7 and (not kohonen) | 0 | <u>L8</u> |
| <u>L7</u> | self?organizing and kohonen | 366 | <u>L7</u> |
| <u>L6</u> | self?organizing adj map | 554 | <u>L6</u> |
| <u>L5</u> | self?organizing | 2361 | <u>L5</u> |
| <u>L4</u> | L2 and "prediction model" | 29 | <u>L4</u> |
| <u>L3</u> | L2 and L1 | 0 | <u>L3</u> |
| <u>L2</u> | "neural network training" | 1020 | <u>L2</u> |
| <u>L1</u> | 00013 | 644 | L1 |

Search Results -

| Terms | Documents |
|--|-----------|
| neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:

| L39 | | Refine Search |
|-----|-------------------|---------------|
| | | |
| | Recall Text Clear | Interrupt |

Search History

DATE: Monday, July 18, 2005 Printable Copy Create Case

| Set Name side by side | Query | <u>Hit</u> Count | Set Name result set |
|--------------------------------|--|---------------------|------------------------------|
| DB= | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L39</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 | <u>L39</u> |
| <u>L38</u> | (self?organi\$4 adj map) or (self?organi\$4 adj net) or (self?organi\$4 adj network) or (self?organi\$4 adj feature) | 926 | <u>L38</u> |
| <u>L37</u> | L33 or L34 | 2550 | <u>L37</u> |
| <u>L36</u> | selforgani\$4 or self?organi\$4 | 3443 | <u>L36</u> |
| <u>L35</u> | L34 and (not L33) | 182 | <u>L35</u> |
| <u>L34</u> | selforganising or self?organising | 235 | <u>L34</u> |
| <u>L33</u> | selforganizing or self?organizing | 2368 | <u>L33</u> |
| <u>L32</u> | L31 and (not L5) | 7 | <u>L32</u> |
| <u>L31</u> | selforganizing | 21 | <u>L31</u> |

neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or

| <u>L30</u> | organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 196953 | <u>L30</u> |
|------------|---|--------|------------|
| <u>L29</u> | neur\$8 | 171930 | <u>L29</u> |
| <u>L28</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 26817 | <u>L28</u> |
| <u>L27</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 26086 | <u>L27</u> |
| <u>L26</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) | 24568 | L26 |
| <u>L25</u> | ("threshold logic unit" or tlu) | 17280 | <u>L25</u> |
| <u>L24</u> | "threshold logic unit" or tlu | 17280 | L24 |
| <u>L23</u> | TLU . | 17228 | <u>L23</u> |
| <u>L22</u> | "threshold logic unit" | 71 | L22 |
| <u>L21</u> | "threshold logic gate" or TLG | 7466 | <u>L21</u> |
| <u>L20</u> | tlg | 7329 | L20 |
| <u>L19</u> | "threshold logic gate" | 138 | L19 |
| <u>L18</u> | adaline or madaline or perceptron | 1525 | <u>L18</u> |
| <u>L17</u> | adaline or madaline | 142 | <u>L17</u> |
| <u>L16</u> | adaline | 85 | <u>L16</u> |
| <u>L15</u> | madaline | 75 | L15 |
| <u>L14</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 832 | <u>L14</u> |
| <u>L13</u> | (self?organizing adj map) or (self?organizing adj net\$5) | 734 | <u>L13</u> |
| <u>L12</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) | 734 | <u>L12</u> |
| <u>L11</u> | (self?organizing adj map) or (self?organizing adj net) | 557 | <u>L11</u> |
| <u>L10</u> | kohonen and (not self?organizing adj map) | 661 | <u>L10</u> |
| <u>L9</u> | (self?organizing adj map) and (not kohonen) | 316 | <u>L9</u> |
| <u>L8</u> | L7 and (not kohonen) | 0 | <u>L8</u> |
| <u>L7</u> | self?organizing and kohonen | 366 | <u>L7</u> |
| <u>L6</u> | self?organizing adj map | 554 | <u>L6</u> |
| <u>L5</u> | self?organizing | 2361 | <u>L5</u> |
| <u>L4</u> | L2 and "prediction model" | 29 | <u>L4</u> |
| <u>L3</u> | L2 and L1 | 0 | <u>L3</u> |
| <u>L2</u> | "neural network training" | 1020 | <u>L2</u> |
| <u>L1</u> | 00013 | 644 | <u>L1</u> |


Search Results -

| Terms | Documents |
|--|-----------|
| L46 and ("prediction model" or "predictive model") | 59 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

Database:



Search History

| Set Name side by side | Query | <u>Hit</u> Count | Set Name result set |
|--------------------------------|--|---------------------|------------------------------|
| DB= | PGPB, USPT, USOC, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR | | |
| <u>L49</u> | L46 and ("prediction model" or "predictive model") | 59 | <u>L49</u> |
| <u>L48</u> | L47 and model | 1669 | <u>L48</u> |
| <u>L47</u> | L46 and (prediction or predictive) | 1775 | <u>L47</u> |
| <u>L46</u> | (L45 or L43 or L42 or L41) and L39 | 2825 | <u>L46</u> |
| <u>L45</u> | ensemble | 14522 | <u>L45</u> |
| <u>L44</u> | "modular neural networks" | 136 | <u>L44</u> |
| <u>L43</u> | "modular neural network" | 136 | <u>L43</u> |
| <u>L42</u> | "Associative Neural Network" or ASNN | 90 | <u>L42</u> |
| <u>L41</u> | "committee of machines" | 0 | <u>L41</u> |
| <u>L40</u> | L39 and ensemble | 2680 | <u>L40</u> |
| <u>L39</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 | <u>L39</u> |
| | (self?organi\$4 adj map) or (self?organi\$4 adj net) or (self?organi\$4 adj | | |

| <u>L38</u> | network) or (self?organi\$4 adj feature) | 926 | <u>L38</u> |
|-------------|--|--------|------------|
| <u>L37</u> | L33 or L34 | 2550 | <u>L37</u> |
| <u>L36</u> | selforgani\$4 or self?organi\$4 | 3443 | <u>L36</u> |
| <u>L35</u> | L34 and (not L33) | 182 | <u>L35</u> |
| <u>L34</u> | selforganising or self?organising | 235 | <u>L34</u> |
| <u>L33</u> | selforganizing or self?organizing | 2368 | L33 |
| <u>L32</u> | L31 and (not L5) | 7 | <u>L32</u> |
| <u>L31</u> | selforganizing | 21 | <u>L31</u> |
| <u>L30</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 196953 | <u>L30</u> |
| <u>L29</u> | neur\$8 | 171930 | <u>L29</u> |
| <u>L28</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 26817 | <u>L28</u> |
| <u>L27</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 26086 | <u>L27</u> |
| <u>L26</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) | 24568 | <u>L26</u> |
| <u>L25</u> | ("threshold logic unit" or tlu) | 17280 | L25 |
| <u>L24</u> | "threshold logic unit" or tlu | 17280 | L24 |
| <u>L23</u> | TLU | 17228 | <u>L23</u> |
| <u>L22</u> | "threshold logic unit" | · 71 | <u>L22</u> |
| <u>L21</u> | "threshold logic gate" or TLG | 7466 | <u>L21</u> |
| <u>L20</u> | tlg | 7329 | <u>L20</u> |
| <u>L19</u> | "threshold logic gate" | 138 | <u>L19</u> |
| <u>L18</u> | adaline or madaline or perceptron | 1525 | <u>L18</u> |
| <u>L17</u> | adaline or madaline | 142 | <u>L17</u> |
| <u>L16</u> | adaline | 85 | <u>L16</u> |
| <u>L15</u> | madaline | 75 | <u>L15</u> |
| <u>L14</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 832 | <u>L14</u> |
| <u>L13</u> | (self?organizing adj map) or (self?organizing adj net\$5) | 734 | <u>L13</u> |
| <u>L12</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) | 734 | <u>L12</u> |
| <u>L11</u> | (self?organizing adj map) or (self?organizing adj net) | 557 | <u>L11</u> |
| <u>L10</u> | kohonen and (not self?organizing adj map) | 661 | <u>L10</u> |
| <u>L9</u> | (self?organizing adj map) and (not kohonen) | 316 | <u>L9</u> |
| <u>L8</u> | L7 and (not kohonen) | . 0 | <u>L8</u> |
| <u>L7</u> | self?organizing and kohonen | 366 | <u>L7</u> |
| <u>L6</u> | self?organizing adj map | 554 | <u>L6</u> |
| . <u>L5</u> | self?organizing | 2361 | <u>L5</u> |
| <u>L4</u> | L2 and "prediction model" | 29 | <u>L4</u> |

| <u>L3</u> | L2 and L1 | 0 | <u>L3</u> |
|-----------|---------------------------|------|-----------|
| <u>L2</u> | "neural network training" | 1020 | <u>L2</u> |
| <u>L1</u> | 00013 | 644 | <u>L1</u> |

Search Results -

| Terms | Documents |
|------------------------------------|-----------|
| (L45 or L43 or L42 or L41) and L52 | 2827 |

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

| L53 | | - | Define Consult |
|--------------|-------|---|----------------|
| | | | Refine Search |
| Recall Text: | Clear | | Interrupt |

Search History

| Set Name side by side | Query | <u>Hit</u> Count | Set Name result set |
|--------------------------------|--|---------------------|---------------------|
| DB= | PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L53</u> | (L45 or L43 or L42 or L41) and L52 | 2827 | <u>L53</u> |
| <u>L52</u> | L51 or L39 | 196980 | <u>L52</u> |
| <u>L51</u> | L38 or L50 | 927 | <u>L51</u> |
| <u>L50</u> | (selforgani\$4 adj map) or (selforgani\$4 adj net) or (selforgani\$4 adj network) or (selforgani\$4 adj feature) | 4 | <u>L50</u> |
| <u>L49</u> | L46 and ("prediction model" or "predictive model") | 59 | <u>L49</u> |
| <u>L48</u> | L47 and model | 1669 | <u>L48</u> |
| <u>L47</u> | L46 and (prediction or predictive) | 1775 | <u>L47</u> |
| <u>L46</u> | (L45 or L43 or L42 or L41) and L39 | 2825 | <u>L46</u> |
| <u>L45</u> | ensemble | 14522 | <u>L45</u> |
| <u>L44</u> | "modular neural networks" | 136 | <u>L44</u> |
| <u>L43</u> | "modular neural network" | 136 | <u>L43</u> |
| <u>L42</u> | "Associative Neural Network" or ASNN | 90 | <u>L42</u> |

| <u>L41</u> | "committee of machines" | 0 | L41 |
|------------|--|--------|------------|
| <u>L40</u> | L39 and ensemble | 2680 | <u>L40</u> |
| <u>L39</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 | <u>L39</u> |
| <u>L38</u> | (self?organi\$4 adj map) or (self?organi\$4 adj net) or (self?organi\$4 adj network) or (self?organi\$4 adj feature) | 926 | <u>L38</u> |
| <u>L37</u> | L33 or L34 | 2550 | <u>L37</u> |
| <u>L36</u> | selforgani\$4 or self?organi\$4 | 3443 | <u>L36</u> |
| <u>L35</u> | L34 and (not L33) | 182 | <u>L35</u> |
| <u>L34</u> | selforganising or self?organising | 235 | <u>L34</u> |
| <u>L33</u> | selforganizing or self?organizing | 2368 | <u>L33</u> |
| <u>L32</u> | L31 and (not L5) | 7 | <u>L32</u> |
| <u>L31</u> | selforganizing | 21 | L31 |
| <u>L30</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 196953 | <u>L30</u> |
| <u>L29</u> | neur\$8 | 171930 | <u>L29</u> |
| <u>L28</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 26817 | <u>L28</u> |
| <u>L27</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 26086 | <u>L27</u> |
| <u>L26</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) | 24568 | <u>L26</u> |
| <u>L25</u> | ("threshold logic unit" or tlu) | 17280 | <u>L25</u> |
| <u>L24</u> | "threshold logic unit" or tlu | 17280 | <u>L24</u> |
| <u>L23</u> | TLU | 17228 | <u>L23</u> |
| <u>L22</u> | "threshold logic unit" | 71 | <u>L22</u> |
| <u>L21</u> | "threshold logic gate" or TLG | 7466 | <u>L21</u> |
| <u>L20</u> | tlg | 7329 | <u>L20</u> |
| <u>L19</u> | "threshold logic gate" | 138 | <u>L19</u> |
| <u>L18</u> | adaline or madaline or perceptron | 1525 | <u>L18</u> |
| <u>L17</u> | adaline or madaline | 142 | <u>L17</u> |
| <u>L16</u> | adaline | 85 | <u>L16</u> |
| <u>L15</u> | madaline | 75 | <u>L15</u> |
| <u>L14</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 832 | <u>L14</u> |
| <u>L13</u> | (self?organizing adj map) or (self?organizing adj net\$5) | 734 | <u>L13</u> |
| <u>L12</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) | 734 | <u>L12</u> |
| <u>L11</u> | (self?organizing adj map) or (self?organizing adj net) | 557 | <u>L11</u> |
| <u>L10</u> | kohonen and (not self?organizing adj map) | 661 | <u>L10</u> |
| <u>L9</u> | (self?organizing adj map) and (not kohonen) | 316 | <u>L9</u> |

| <u>L8</u> | L7 and (not kohonen) | 0 | <u>L8</u> |
|-----------|-----------------------------|------|-----------|
| <u>L7</u> | self?organizing and kohonen | 366 | <u>L7</u> |
| <u>L6</u> | self?organizing adj map | 554 | <u>L6</u> |
| <u>L5</u> | self?organizing | 2361 | <u>L5</u> |
| <u>L4</u> | L2 and "prediction model" | 29 | <u>L4</u> |
| <u>L3</u> | L2 and L1 | 0 | <u>L3</u> |
| <u>L2</u> | "neural network training" | 1020 | <u>L2</u> |
| <u>L1</u> | 00013 | 644 | <u>L1</u> |

Search Results -

| Terms | Documents |
|-------------|-----------|
| L54 and L53 | 15 |

US Pre-Grant Publication Full-Text Database

US Patents Full-Text Database
US OCR Full-Text Database

Database:

EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index

IBM Technical Disclosure Bulletins

Search:

| L55 | |
|-------------------|---------------|
| | Refine Search |
| | |
| Recall Text Clear | Interrupt |

Search History

| Set Name side by side | Query | <u>Hit</u> Count | Set Name result set |
|--------------------------------|--|---------------------|---------------------|
| DB= | =PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR | | |
| <u>L55</u> | L54 and L53 | 15 | <u>L55</u> |
| <u>L54</u> | 706/21.ccls. | 175 | <u>L54</u> |
| <u>L53</u> | (L45 or L43 or L42 or L41) and L52 | 2827 | <u>L53</u> |
| <u>L52</u> | L51 or L39 | 196980 | <u>L52</u> |
| <u>L51</u> | L38 or L50 | 927 | <u>L51</u> |
| <u>L50</u> | (selforgani\$4 adj map) or (selforgani\$4 adj net) or (selforgani\$4 adj network) or (selforgani\$4 adj feature) | 4 | <u>L50</u> |
| <u>L49</u> | L46 and ("prediction model" or "predictive model") | 59 | <u>L49</u> |
| <u>L48</u> | L47 and model | 1669 | <u>L48</u> |
| <u>L47</u> | L46 and (prediction or predictive) | 1775 | <u>L47</u> |
| <u>L46</u> | (L45 or L43 or L42 or L41) and L39 | 2825 | <u>L46</u> |
| <u>L45</u> | ensemble | 14522 | <u>L45</u> |
| <u>L44</u> | "modular neural networks" | 136 | <u>L44</u> |

| <u>L43</u> | "modular neural network" | 136 | <u>L43</u> |
|------------|--|--------|------------|
| <u>L42</u> | "Associative Neural Network" or ASNN | 90 | <u>L42</u> |
| <u>L41</u> | "committee of machines" | 0 | <u>L41</u> |
| <u>L40</u> | L39 and ensemble | 2680 | <u>L40</u> |
| <u>L39</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 196668 | <u>L39</u> |
| <u>L38</u> | (self?organi\$4 adj map) or (self?organi\$4 adj net) or (self?organi\$4 adj network) or (self?organi\$4 adj feature) | 926 | <u>L38</u> |
| <u>L37</u> | L33 or L34 | 2550 | <u>L37</u> |
| <u>L36</u> | selforgani\$4 or self?organi\$4 | 3443 | <u>L36</u> |
| <u>L35</u> | L34 and (not L33) | 182 | <u>L35</u> |
| <u>L34</u> | selforganising or self?organising | 235 | <u>L34</u> |
| <u>L33</u> | selforganizing or self?organizing | 2368 | <u>L33</u> |
| <u>L32</u> | L31 and (not L5) | 7 | <u>L32</u> |
| <u>L31</u> | selforganizing | 21 | <u>L31</u> |
| <u>L30</u> | neur\$8 or ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 196953 | <u>L30</u> |
| <u>L29</u> | neur\$8 | 171930 | <u>L29</u> |
| <u>L28</u> | ("threshold logic unit" or tlu) or ("threshold logic gate" or TLG) or (adaline or madaline or perceptron) or (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 26817 | <u>L28</u> |
| <u>L27</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) or (adaline or madaline or perceptron) | 26086 | <u>L27</u> |
| <u>L26</u> | ("threshold logic unit" or tlu) or("threshold logic gate" or TLG) | 24568 | <u>L26</u> |
| <u>L25</u> | ("threshold logic unit" or tlu) | 17280 | <u>L25</u> |
| <u>L24</u> | "threshold logic unit" or tlu | 17280 | <u>L24</u> |
| <u>L23</u> | TLU | 17228 | <u>L23</u> |
| <u>L22</u> | "threshold logic unit" | 71 | <u>L22</u> |
| <u>L21</u> | "threshold logic gate" or TLG | 7466 | <u>L21</u> |
| <u>L20</u> | tlg | 7329 | <u>L20</u> |
| <u>L19</u> | "threshold logic gate" | 138 | <u>L19</u> |
| <u>L18</u> | adaline or madaline or perceptron | 1525 | <u>L18</u> |
| <u>L17</u> | adaline or madaline | 142 | <u>L17</u> |
| <u>L16</u> | adaline | 85 | <u>L16</u> |
| <u>L15</u> | madaline | 75 | <u>L15</u> |
| <u>L14</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) or (self?organizing adj feature) | 832 | <u>L14</u> |
| <u>L13</u> | (self?organizing adj map) or (self?organizing adj net\$5) | 734 | <u>L13</u> |
| <u>L12</u> | (self?organizing adj map) or (self?organizing adj net) or (self?organizing adj network) | 734 | <u>L12</u> |
| <u>L11</u> | (self?organizing adj map) or (self?organizing adj net) | 557 | <u>L11</u> |

| <u>L10</u> | kohonen and (not self?organizing adj map) | 661 | <u>L10</u> |
|------------|---|------|------------|
| <u>L9</u> | (self?organizing adj map) and (not kohonen) | 316 | <u>L9</u> |
| <u>L8</u> | L7 and (not kohonen) | 0 | <u>L8</u> |
| <u>L7</u> | self?organizing and kohonen | 366 | <u>L7</u> |
| <u>L6</u> | self?organizing adj map | 554 | <u>L6</u> |
| <u>L5</u> | self?organizing | 2361 | <u>L5</u> |
| <u>L4</u> | L2 and "prediction model" | 29 | <u>L4</u> |
| <u>L3</u> | L2 and L1 | 0 | <u>L3</u> |
| <u>L2</u> | "neural network training" | 1020 | <u>L2</u> |
| <u>L1</u> | 00013 | 644 | <u>L1</u> |

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 1 through 10 of 15 returned.

☐ 1. Document ID: US 20040199481 A1

L55: Entry 1 of 15

File: PGPB

Oct 7, 2004

Jul 8, 2004

PGPUB-DOCUMENT-NUMBER: 20040199481

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20040199481 A1

TITLE: Bayesian neural networks for optimization and control

PUBLICATION-DATE: October 7, 2004

INVENTOR - INFORMATION:

NAME CITY STATE COUNTRY RULE-47 Hartman, Eric Jon Austin TXUS Peterson, Carsten Lund TXSE Piche, Stephen Austin US

US-CL-CURRENT: 706/21; 706/23

| Full | | Title | Citation Fr | ront | Review | Classification | Date | Reference | Sequences | Attachments | Claims | KWiC | Draw, De |
|------|---|-------|-------------|------|--------|--------------------------------|------|-----------|-----------|-------------|--------|------|----------|
| | | | | | | | | | | | | | |
| | | | | ···· | | In Minne a Union and House man | | | | | | | |
| Г | 2 | 2. | Document 1 | ID: | US 20 | 040133531 | A1 | | | | | | |

File: PGPB

PGPUB-DOCUMENT-NUMBER: 20040133531

PGPUB-FILING-TYPE: new

L55: Entry 2 of 15

DOCUMENT-IDENTIFIER: US 20040133531 A1

TITLE: <u>Neural</u> network training data selection using memory reduced cluster analysis for field model development

PUBLICATION-DATE: July 8, 2004

INVENTOR-INFORMATION:

| NAME | CITY | STATE | COUNTRY | RULE-47 |
|--------------------|------------|-------|---------|---------|
| Chen, Dingding | Plano | TX | US | |
| Quirein, John A. | Georgetown | TX | US | |
| Wiener, Jacky M. | Aurora | CO | US | |
| Grable, Jeffery L. | Houston | TX | US | |
| Hamid, Syed | Dallas | TX | US | |
| | | | | |

Record List Display Page 2 of 6

Smith, Harry D. JR.

Houston

TX

US

US-CL-CURRENT: 706/8; 706/21, 706/46

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KMC Draw De

☐ 3. Document ID: US 20010013027 A1

L55: Entry 3 of 15

File: PGPB

Aug 9, 2001

PGPUB-DOCUMENT-NUMBER: 20010013027

PGPUB-FILING-TYPE: new

DOCUMENT-IDENTIFIER: US 20010013027 A1

TITLE: OPTIMIZATION PREDICTION FOR INDUSTRIAL PROCESSES

PUBLICATION-DATE: August 9, 2001

INVENTOR-INFORMATION:

CITY NAME STATE COUNTRY RULE-47 AKKIRAJU, RAMA KALYANI TIRUMALA US OSSINING NY DIETRICH, BRENDA LYNN YORKTOWN HEIGHTS NY US KESKINOCAK, PINAR YORKTOWN HEIGHTS NY US MURTHY, SESHASHAYEE SANKARSHANA YORKTOWN HEIGHTS NY US RACHLIN, JOHN NATHAN TARRYTOWN NY US YUNG-FUNG WU, FREDERICK COS COB CTUS

US-CL-CURRENT: 706/21

Full Title Citation Front Review Classification Date Reference Sequences Attachments Claims KWC Draw. De

☐ 4. Document ID: US 6735580 B1

L55: Entry 4 of 15

File: USPT

May 11, 2004

US-PAT-NO: 6735580

DOCUMENT-IDENTIFIER: US 6735580 B1

TITLE: Artificial neural network based universal time series

DATE-ISSUED: May 11, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Li; Liang Mission Viejo CA
Tang; Yi Kendall Park NJ
Li; Bin Westport CT
Wu; Xiaohua Mission Viejo CA

Record List Display Page 3 of 6

US-CL-CURRENT: 706/21; 706/30, 706/925

Full Title Citation Front Review Classification Date Reference 😥 🚉 🚉 🚉 🚉 🚉 🖒 🖒 🖒 🖒 🖒 🖒 🖒 🖒 🖒 🖒 🖒 🖰 Draw, Do

5. Document ID: US 6731990 B1

L55: Entry 5 of 15

File: USPT

May 4, 2004

US-PAT-NO: 6731990

DOCUMENT-IDENTIFIER: US 6731990 B1

TITLE: Predicting values of a series of data

DATE-ISSUED: May 4, 2004

INVENTOR-INFORMATION:

CITY NAME STATE ZIP CODE 'COUNTRY Carter; Malcolm Edward Herts GB Fojt; Otakar York GB Dodson; Michael Maurice Heslington GB Levesley; Jason Southbank GB Hobbs; Christopher Ottawa CA

US-CL-CURRENT: 700/52; 702/189, 706/21

| Full | Title | Citation | Front | Review | Classification | Date | Reference | STELL TO SE | ² [নেচস্প্রনীত | Claims | KWIC | Draw, De |
|------|-------|----------|-------|--------|----------------|------|-----------|-------------|---------------------------|--------|------|----------|
| | | | | | | | | | | | | |
| | | | | | | | | | | | | |

6. Document ID: US 6725208 B1

L55: Entry 6 of 15

File: USPT

Apr 20, 2004

US-PAT-NO: 6725208

DOCUMENT-IDENTIFIER: US 6725208 B1

TITLE: Bayesian neural networks for optimization and control

DATE-ISSUED: April 20, 2004

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hartman; Eric Jon Austin TX

Peterson; Carsten Lund SE

Piche; Stephen Austin TX

US-CL-CURRENT: 706/23; 700/104, 700/49, 706/21, 706/906, 706/914

Full Title Citation Front Review Classification Date Reference <mark>উপ্রেক্তিনের কিন্তু ক্রিক্তিন্তির</mark> Claims KMC Draw De

Record List Display Page 4 of 6

7. Document ID: US 6591254 B1

L55: Entry 7 of 15 File: USPT Jul 8, 2003

US-PAT-NO: 6591254

DOCUMENT-IDENTIFIER: US 6591254 B1

TITLE: Method and apparatus for operating a neural network with missing and/or

incomplete data

DATE-ISSUED: July 8, 2003

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Keeler; James David Austin TX
Hartman; Eric Jon Austin TX
Ferguson; Ralph Bruce Austin TX

US-CL-CURRENT: 706/21; 706/22, 706/25

| | | WEDIEDO | Glassification | vate | Reference | · > 를 하니라며 (+ %) | A Education 18 | Claims | KUMC | Draw, De |
|----------|-----|---------|----------------|------|-----------|------------------|----------------|--------|------|----------|
| | | | | | | | | | | |
| Г 8. Doo | ID. | 110.64 | 00572 D2 | | | | | | | |

File: USPT

Dec 3, 2002

US-PAT-NO: 6490572

L55: Entry 8 of 15

DOCUMENT-IDENTIFIER: US 6490572 B2

TITLE: Optimization prediction for industrial processes

DATE-ISSUED: December 3, 2002

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Akkiraju; Rama Kalyani Tirumala Ossining NY
Dietrich; Brenda Lynn Yorktown Heights NY
Keskinocak; Pinar Yorktown Heights NY
Murthy; Seshashayee Sankarshana Yorktown Heights NY
Rachlin; John Nathan Tarrytown NY

Wu; Frederick Yung-Fung Cos Cob CT

US-CL-CURRENT: 706/19; 706/13, 706/21

| Full | Title | Citation Front | Review | Classification | Date | Reference | ' ^{শু} ৰুতাৰাট্যনীক | . Promode | Claims | KWIC | Draw, De |
|------|-------|----------------|----------|----------------|------|-----------|------------------------------|-----------|--------|------|----------|
| | | | | • | | | | | | | |
| Г | 9 | Document ID | · 119 64 | 18424 B1 | | | | | | | |

9. Document ID: US 6418424 B1

L55: Entry 9 of 15 File: USPT Jul 9, 2002

US-PAT-NO: 6418424

DOCUMENT-IDENTIFIER: US 6418424 B1

TITLE: Ergonomic man-machine interface incorporating adaptive pattern recognition

based control system


DATE-ISSUED: July 9, 2002

INVENTOR - INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Hoffberg; Steven M. West Harrison NY 10604 Hoffberg-Borghesani; Linda I. Acton MA 01720

US-CL-CURRENT: 706/21; 434/178, 706/52



US-PAT-NO: 6208983

DOCUMENT-IDENTIFIER: US 6208983 B1

TITLE: Method and apparatus for training and operating a neural network for

detecting breast cancer

DATE-ISSUED: March 27, 2001


INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Parra; Lucas New York NJ
Sajda; Paul Jersey City NJ

Spence; Clay Douglas Princeton Junction NJ

US-CL-CURRENT: 706/21; 706/16, 706/25



Display Format: - Change Format

Previous Page

Next Page

Go to Doc#

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs
Generate OACS

Search Results - Record(s) 11 through 15 of 15 returned.

☐ 11. Document ID: US 5901272 A

L55: Entry 11 of 15

File: USPT

May 4, 1999

US-PAT-NO: 5901272

DOCUMENT-IDENTIFIER: US 5901272 A

TITLE: Neural network based helicopter low airspeed indicator

DATE-ISSUED: May 4, 1999

INVENTOR - INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Schaefer, Jr.; Carl G.

Woodbridge

VA MD

McCool; Kelly M.

Haas; David J.

University Park
North Potomac

MD

US-CL-CURRENT: 706/17; 701/7, 706/21

Full Title Citation Front Review Classification Date Reference இத்தின்றன. இதுகள்கள் Claims KMC Draw De

12. Document ID: US 5761386 A

L55: Entry 12 of 15

File: USPT

Jun 2, 1998

US-PAT-NO: 5761386

DOCUMENT-IDENTIFIER: US 5761386 A

TITLE: Method and apparatus for foreign exchange rate time series prediction and

classification

DATE-ISSUED: June 2, 1998

INVENTOR-INFORMATION:

NAME CITY STATE ZIP CODE COUNTRY

Lawrence; Stephen Robert Queensland AU

Giles; C. Lee Lawrenceville NJ

US-CL-CURRENT: 706/20; 705/10, 705/35, 706/21, 706/30, 706/925

Full Title Citation Front Review Classification Date Reference Contact Section Claims KWC Draw D

☐ 13. Document ID: US 5461699 A

L55: Entry 13 of 15

File: USPT

Oct 24, 1995

US-PAT-NO: 5461699

DOCUMENT-IDENTIFIER: US 5461699 A

TITLE: Forecasting using a neural network and a statistical forecast

DATE-ISSUED: October 24, 1995

INVENTOR - INFORMATION:

NAME

CITY

STATE ZIP CODE

COUNTRY

Arbabi; Mansur

Bethesda

MD

Fischthal; Scott M.

Gaithersburg

MD

US-CL-CURRENT: 706/21; 706/25, 706/925

| ĺ | Full | Title | Citation | Front | Review | Classification | Date | Reference | manual to | Charles and the | Claims | KWIC | Draw, De |
|---|------|-------|----------|-------|--------|----------------|------|-----------|-----------|-----------------|--------|---------------|----------|
| | | | | | | | | | | | | , , , , , , , | |

☐ 14. Document ID: US 5446829 A

L55: Entry 14 of 15

File: USPT

Aug 29, 1995

US-PAT-NO: 5446829

DOCUMENT-IDENTIFIER: US 5446829 A

TITLE: Artificial network for temporal sequence processing

DATE-ISSUED: August 29, 1995

INVENTOR-INFORMATION:

NAME

CITY .

STATE

ZIP CODE

COUNTRY

Wang; Lipo

Silver Springs

MD

Alkon; Daniel L.

Bethesda

MD

US-CL-CURRENT: 706/21; 706/18, 706/20, 706/25, 706/28

Full Title Citation Front Review Classification Date Reference

15. Document ID: US 5444819 A

L55: Entry 15 of 15

File: USPT

Aug 22, 1995

US-PAT-NO: 5444819

DOCUMENT-IDENTIFIER: US 5444819 A

TITLE: Economic phenomenon predicting and analyzing system using neural network

DATE-ISSUED: August 22, 1995

INVENTOR - INFORMATION:

NAME

CITY

STATE

ZIP CODE

COUNTRY

Negishi; Michiro

Kamakura

JP

US-CL-CURRENT: 706/21; 705/7, 706/25, 706/31, 706/925

| Full | Title Citation | Front | Review | Classification | Date | Reference | 通知(19 00年)。 | भीत्वर स्थापित | Claims | KWIC | Drawi D |
|-------|------------------|----------|-------------|---------------------------------------|------|-----------|---------------------------------------|----------------|--------|----------|---------|
| | | | | | | | | | | | |
| Clear | Gene | rate Col | lection | Print | F | wd Refs | Bkwd | Refs | Genera | ate OA | cs |
| | T | | | | | <u> </u> | | | ···· | — | |
| | Terms | | | | | Docun | nents | | | | |
| | L54 and L | 53 | | · · · · · · · · · · · · · · · · · · · | | <u></u> | · · · · · · · · · · · · · · · · · · · | | | 15 | |

Display Format: -

Change Format

Previous Page

Next Page

Go to Doc#